

**STATUTORY DECLARATION  
Registration of Fittings**

I, Steve Wells, Chief Financial Officer  
(name of applicant) (position title) (must be in a position of authority)  
of A-T Controls, Inc.  
(name of manufacturer)  
located at 9955 International Blvd; Cincinnati, OH. 45246  
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of ANSI/ASME B16.34-2017 and ASME BPE-2016 which specifies the dimensions, (title of recognized North American Standard)  
materials of construction, pressure/temperature ratings and identification marking of the fittings, or  
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached (title of code of construction or other applicable document)  
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, AVU Registrations as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are  
HP Series Forged BPE High Purity Ball Valves

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

A-T Controls Drawing: P02804; Calculations: TR00244; ITS Pressure Burst Test Report# 17010308; PVEng Calculations (Ferrule Burst Testing UG-101 (k) & (m).

DECLARED before me at West Chester in the Butler  
(city) (province or state)  
this 3rd day of December, 2018  
(Month) (Year)

(print) DANIEL A TRIBBE  
(a Commissioner of Oaths or Notary Public)

(sign) [Signature]  
(a Commissioner of Oaths or Notary Public)



**DANIEL TRIBBE**  
Notary Public, State of Ohio  
My Commission Expires  
April 16, 2022

(signature of applicant)

**For ABSA Office Use Only:**

**See Acceptance Letter for the comments and/or conditions of registration.**

NOTES: \_\_\_\_\_

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0 C 2 1 0 1 3 . 5 2

[Signature] **MUSAVJEVIC**  
(Signature of the Administrator/SCO)

Date Registered: FEB 06 2019

Expiry Date: Jan. 18, 2029

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline.

February 06, 2019

**Attention:** Cathy Turylo  
TECHNICAL STANDARDS & SAFETY AUTHORITY  
345 CARLINGVIEW DRIVE  
TORONTO, ON M9W 6N9

**Email:** CTURYLO@TSSA.ORG

The design submission, tracking number 2019-00486, originally received on January 23, 2019 was surveyed and accepted for registration as follows:

**CRN :** 0C21013.52

**Accepted on:** February 06, 2019

**Reg Type:** NEW DESIGN

**Expiry Date:** January 18, 2029

**Drawing No. :** P02804 Rev -

**Fitting type:** H78 SERIES FORGED BPE HIGH PURITY BALL VALVES, 1"-4"

Design registered in the name of : A-T CONTROLS INC

**The registration is conditional on your compliance with the following notes:**

*As indicated on AB-41 Statutory Declaration form and submitted documentation, the code of construction are B16.34 and other engineering analysis.*


- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

Enclosed are stamped prints for your reference.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3369 or fax (780) 437-7787 or e-mail Radisavljevic@absa.ca.

Sincerely,



RADISAVLJEVIC, ZANA, P. Tech. (Eng.)  
DOP Cert. No. D00003136

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

|  |   |
|--|---|
| MANUFACTURERS NAME: A-T Controls, Inc.   |   |
| MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246  |   |
| PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477  |   |
| <b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b><br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br><input checked="" type="radio"/> C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | <b>TITLE OF THE STANDARD OF CONSTRUCTION</b><br><br>ANSI/ASME B16.34-2017<br>ASME BPE-2016  |
| <b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b><br><br><div style="text-align: center; font-size: 2em; font-weight: bold;">AT</div>  | <b>TYPE OF CONSTRUCTION</b><br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER: |
| <b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b><br><br>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.<br><br>PVEng ASME BPE: UG-101 (k) & (m) Calculations (Ferrule Burst Testing).<br><br>ITS Pressure Burst Test (Ferrule testing) Report # 17010308.<br><br>Identification: H78 Series (High Purity Ball Valve)   |   |

**DECLARATION:**

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Butler, Ohio  
 This 3rd day of December AD 2018  
 Commissioner of Oaths  
 or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



**DANIEL TRIBBE**  
 Notary Public, State of Ohio  
 My Commission Expires  
 April 16, 2022

|   |   |
|---|---|
| This space for Regulatory Authority use<br>This registration must be revalidated after ten (10) years from the date of acceptance.<br><br>CRN: <u>OC21013.5</u><br>FID#: <u>15253</u><br><br><b>Notes:</b><br>1. All fittings shall be registered in the name of the Manufacturer.<br>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. | DEPT OF JUSTICE PUBLIC SAFETY<br>BOILER & PRESSURE VESSEL ACT<br><br>REGISTRATION ONLY<br>CRN <u>OC21013.57</u><br><u>[Signature]</u><br>CHIEF BOILER INSPECTOR<br>DATE <u>2/1/2019</u> |
|---|---|

☐ BLRs    ☐ PVs  
☐ FITTINGS    ☐ NUCLEAR COMPONENTS


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|  |  |
|--|--|
| MANUFACTURERS NAME: A-T Controls, Inc.   |  |
| MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246  |  |
| PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477  |  |
| <b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b><br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br><b>C Valves: all line valves</b><br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | <b>TITLE OF THE STANDARD OF CONSTRUCTION</b><br><br>ANSI/ASME B16.34-2017<br>ASME BPE-2016 |
| <b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b><br>   |  |
| <b>TYPE OF CONSTRUCTION</b><br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER:  |  |
| <b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b><br><br>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.<br><br>PVEng ASME BPE: UG-101 (k) & (m) Calculations (Ferrule Burst Testing).<br><br>ITS Pressure Burst Test (Ferrule testing) Report # 17010308.<br><br>Identification: H78 Series (High Purity Ball Valve)   |  |

**DECLARATION:**  
 I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Butler, Ohio  
 This 3rd day of December AD 2018  
 Commissioner of Oaths  
 or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



**DANIEL TRIBBE**  
 Notary Public, State of Ohio  
 My Commission Expires  
 April 16, 2022

|  |   |
|--|---|
| This space for Regulatory Authority use<br>This registration must be revalidated after ten (10) years from the date of acceptance.   |   |
| CRN: <u>OC21013.5</u><br>FID#: <u>15253</u>  | Newfoundland<br>Labrador<br>Service NL<br>Registered <u>OC21013.50</u><br>Date <u>19/02/04</u><br>Engineering and Inspection Services<br>Registered by <u>[Signature]</u> |
| <b>Notes:</b><br>1. All fittings shall be registered in the name of the Manufacturer.<br>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. |   |
| UNDER THE AUTHORITY OF THE<br>PUBLIC SAFETY ACT AND<br>THE BOILER, PRESSURE VESSEL AND<br>COMPRESSED GAS REGULATIONS   |   |


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|   |   |
|---|---|
| MANUFACTURERS NAME: A-T Controls, Inc.  |   |
| MANUFACTURERS ADDRESS: 8955 International Blvd; Cincinnati, OH. 45248   |   |
| PLANT LOCATIONS: 8955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477   |   |
| <b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b><br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br><input checked="" type="checkbox"/> C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | <b>TITLE OF THE STANDARD OF CONSTRUCTION</b><br><br>ANSI/ASME B16.34-2017<br>ASME BPE-2016  |
| <b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b><br>  | <b>TYPE OF CONSTRUCTION</b><br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER: |
| <b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b><br><br>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.<br><br>PVEng ASME BPE: UG-101 (k) & (m) Calculations (Ferrule Burst Testing).<br><br>ITS Pressure Burst Test (Ferrule testing) Report # 17010308.<br><br>Identification: H78 Series (High Purity Ball Valve)  |   |


## DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Butler Ohio  
 This 3rd day of December AD 2018  
 Commissioner of Oaths  
 or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)




DANIEL TRIBBE  
 Notary Public, State of Ohio  
 My Commission Expires  
 April 16, 2022

|  |  |
|--|--|
| This space for Regulatory Authority use<br>This registration must be revalidated after ten (10) years from the date of acceptance.   |  |
| CRN: <u>0C21013.5</u><br>FID#: <u>15253</u>  |  |
| <b>Notes:</b><br>1. All fittings shall be registered in the name of the Manufacturer.<br>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. |  |

716300

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**NEW BRUNSWICK  
NUNAVUTNOVA SCOTIA  
YUKONPRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|   |   |
|---|---|
| MANUFACTURERS NAME: A-T Controls, Inc.  |   |
| MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246   |   |
| PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477   |   |
| CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY   |   |
| <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>ANSI/ASME B16.34-2017<br/>ASME BPE-2016</p> |
| SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT  |   |
|    |   |
| TYPE OF CONSTRUCTION  |   |
| <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>   |   |
| LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:   |   |
| <p>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.</p> <p>PVEng ASME BPE: UG-101 (k) &amp; (m) Calculations (Femule Burst Testing).</p> <p>ITS Pressure Burst Test (Femule testing) Report # 17010308.</p> <p>Identification: H78 Series (High Purity Ball Valve)</p>   |   |

**DECLARATION:**


I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Steve WellsDeclared before me at Better, OhioThis 3rd day of December AD 2018Commissioner of Oaths  
or Notary Public: (sign) Daniel Tribbe

(Affix Official seal to the right)



**DANIEL TRIBBE**  
Notary Public, State of Ohio  
My Commission Expires  
April 16, 2022

|  |  |
|--|--|
| This space for Regulatory Authority use  |  |
| This registration must be revalidated after ten (10) years from the date of acceptance.  |  |
| CRN: <u>OC21013.5</u>  |  |
| FID#: <u>15253</u>   |  |
| Notes:   |  |
| <p>1. All fittings shall be registered in the name of the Manufacturer.</p> <p>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</p> <p>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</p> <p>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p> |  |


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

|  |   |
|--|---|
| MANUFACTURERS NAME: A-T Controls, Inc.   |   |
| MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246  |   |
| PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477  |   |
| <b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b><br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br><input checked="" type="radio"/> C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>I Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements) | <b>TITLE OF THE STANDARD OF CONSTRUCTION</b><br><br>ANSI/ASME B16.34-2017<br>ASME BPE-2016  |
| <b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b><br><br>   | <b>TYPE OF CONSTRUCTION</b><br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER: |
| <b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b><br><br>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.<br><br>PVEng ASME BPE UG-101 (k) & (n) Calculations (Ferrule Burst Testing).<br><br>ITS Pressure Burst Test (Ferrule testing) Report # 17010308.<br><br>Identification: H78 Series (High Purity Ball Valve)  |   |

## DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Butler, Ohio  
 This 3rd day of December AD 2018  
 Commissioner of Oaths or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



DANIEL TRIBBE  
 Notary Public, State of Ohio  
 My Commission Expires  
 April 16, 2022

|  |   |
|--|---|
| This space for Regulatory Authority use<br>This registration must be revalidated after ten (10) years from the date of acceptance.<br><br>CRN: <u>OC21013.5</u><br>FID#: <u>15253</u><br><br>Notes:<br>1. All fittings shall be registered in the name of the Manufacturer.<br>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. | <b>NUNAVUT</b><br>Boilers and<br>Pressure Vessels Act<br><br><b>REGISTERED</b><br>CRN <u>OC21013.5N</u><br>Date <u>Feb 01, 2019</u><br>Signed <u>[Signature]</u><br>Chief Inspector<br><br>Territorial Registration Fee |
|--|---|



345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

January 18, 2019

PETE VEZEY  
A-T CONTROLS INC  
9955 INTERNATIONAL BLVD  
CINCINNATI OH 45246  
US

Service Request Type: BPV-Fitting Registration  
Service Request No.: 2460896  
Your Reference No.:  
Registered to: A-T CONTROLS INC

Dear PETE VEZEY,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN No.: **0C21013.5**  
Main Design No.: P02804  
Expiry Date: 18-Jan-2029

Notes:

- 1) The valves are compliance with ASME B16.34
- 2) Ferrules are verified by proof test
- 3) Material of construction: ASTM A351-CF3M
- 4) Sizes registered 1/2" to 4"
- 5) Design temperature range from -20F to 600F and design pressure up to 1000psi; See report TR00244 (series H78 CRN report, page 3) for pressure rating details

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be mailed to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Alan Wu P. Eng.  
Mechanical Engineer, BPV  
Tel. : 416-734-3443  
Fax : 416-231-6183  
Email : [awu@tssa.org](mailto:awu@tssa.org)


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|   |  |
|---|--|
| MANUFACTURERS NAME: A-T Controls, Inc.  |  |
| MANUFACTURERS ADDRESS: 8955 International Blvd; Cincinnati, OH. 45248   |  |
| PLANT LOCATIONS: 8955 International Blvd; Cincinnati, OH. 45248 / 12840 Sugar Ridge; Stafford, TX 77477.  |  |
| <p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><input checked="" type="radio"/> C Valves: all line valves</p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p> | <p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ANSI/ASME B16.34-2017<br/>ASME BPE-2016</p>   |
| <p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p>   | <p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br/>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/><br/>DESCRIBE OTHER:</p> |
| <p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.</p> <p>PVEng ASME BPE: UG-101 (M) &amp; (m) Calculations (Ferrule Burst Testing).</p> <p>ITS Pressure Burst Test (Ferrule testing) Report# 17010308.</p> <p>Identification: H78 Series (High Purity Ball Valve)</p>  |  |

## DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by ANU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
Declared before me at Butler, Ohio  
This 3rd day of December AD 2018  
Commissioner of Oaths  
or Notary Public: (sign) [Signature]  
(Affix Official seal to the right)



DANIEL TRIBBE  
Notary Public, State of Ohio  
My Commission Expires  
April 16, 2022

|  |   |
|--|---|
| <p>This space for Regulatory Authority use</p> <p>This registration must be revalidated after ten (10) years from the date of acceptance.</p>  |   |
| <p>CRN: <u>OC21013.5</u></p> <p>FID#: <u>15253</u></p>   | <p><b>ACCEPTED</b></p> <p>PROVINCE OF PRINCE EDWARD ISLAND<br/>COMMUNITIES, LAND &amp; ENVIRONMENT</p> <p>C.R.N. <u>OC21013.59</u></p> <p>DATE: <u>Feb 11/19</u></p> <p><u>[Signature]</u></p> <p>INSPECTION SERVICES SECTION<br/>BOILER/PRESSURE VESSEL BRANCH</p> |
| <p><b>Notes:</b></p> <ol style="list-style-type: none"> <li>1. All fittings shall be registered in the name of the Manufacturer.</li> <li>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</li> </ol> |   |

## Statutory Declaration Registration of Fittings

REGISTERED



CRN: CSA-0C21013.56

Registration Process administered by  
CSA Group per CSA B51

### (a) Design Qualification

I<sup>1</sup> Steve Wells

Chief Financial Officer

(Position eg, president, plant manager, chief eng.)

Of A-T Controls, Inc.

(name of company)

Located at 9955 International Blvd; Cincinnati, OH. 45246

(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

☒ comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required:

Or

☐ are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with \_\_\_\_\_ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

### (b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ISO 9001-2015, and has been verified by the following authority or authorized agency AVU Registrations

The fittings<sup>2</sup> covered by this declaration, for which I seek registration, are under A-T Controls, Inc; 9955 International Blvd; Cincinnati, OH. 45246

In support of the application, the following information, calculations and/or test data are attached:


A-T Controls Drawing: P02804, Calculations: TR00244; ITP Pressure Burst Test (Ferrule) Report# 17010308; PV Eng US-401 (k) & (m) Calculations

Declared before me at West Chester

In the of Butler of Ohio

The 3rd Day of December AD 192018

[Signature]  
A (commissioner for oaths)



**DANIEL TRIBBE**  
Notary Public, State of Ohio  
My Commission Expires  
April 16, 2022

[Signature]  
Signature of Declarer<sup>3</sup>

#### For Official Use Only

The application is accepted for registration in Category C in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.

This registration must be revalidated after ten 10 years from the date of acceptance.

Jan. 18 - 2029

Registered Number CRN CSA-0C21013.56

For the Chief Inspector  
Date




R.W. Barnes  
Mar. 11. 2019

- 1 **Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.**
- 2 **All fittings are required to be registered in the name of the Manufacturer.**
- 3 **This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced.**

\*Note:

1. See attachment as the scope of registration.
2. This registration covers only the valves in full compliance with ASME B16.34.





# Technical Safety Authority of Saskatchewan

REGISTERED

CRN: CSA-OC21013.56



2202 2nd Ave.  
Regina, SK S4R 1K3  
PH: (306)798-7112 Toll Free: (866)530-8599  
FAX: (306)787-9273 Toll Free: (866)760-9255  
Email: [boilerpermits@tsask.ca](mailto:boilerpermits@tsask.ca)  
Website: [www.tsask.ca](http://www.tsask.ca)

Registration Process administered by

Statutory Declaration (Registration of Fittings)

TSK-1008

## I. Declaration Information

I, Steve Wells,

Chief Financial Officer

(company title, e.g. vice president, plant manager, chief engineer)  
(must be in a position of authority in the manufacturing plant where the fitting is produced)

of: A-T Controls, Inc.

(name of manufacturer)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



located at: 9955 International Blvd

(Plant Address - Apt/Street)

Cincinnati, OH

(City, Prov)

45246

(Postal Code)

do solemnly declare that the fittings listed hereinafter, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

☒ Comply with the requirements of ASME B16.34-2017; ASME BPE-2016 which specifies the dimensions,  
(title of recognized North American Standard)

Materials of construction, pressure / temperature ratings and identification marking of the fittings, or

☐ Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, AVU Registrations as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are under A-T Controls, Inc., 9955 International Blvd., Cincinnati, OH 45246

In support of this application, the following information, calculations and / or test data are attached:

A-T Controls Drawing# P02804, Calculations: TR00244; ITS Pressure Burst Test (Ferrules) Report# 17010308; PVEng Ferrule Burst Testing: ASME BPE UG-101 (k) & (m) Calculations.

## II. Declaration


DECLARED before me at West Chester In the Butler of Ohio  
this 3rd day of December, 2018

(print name)

DANIEL A TRIBBE

(Signature)

(Signature of Commissioner of Oaths)



DANIEL TRIBBE

Notary Public, State of Ohio

My Commission Expires

## III. Office Use Only

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and CSA B51, Clause 4.2, and is accepted for registration in Category C

CSA-OC21013.56

(Registration Number)

Mar. 11. 2019

(Date Registered - MM DD YYYY)

(For the Administrator / Chief Inspector)

Jan. 18. 2029

(Expiry Date - MM DD YYYY)

R.W. Barnes

\*Note:

1. See attachment as the scope of registration.
2. This registration covers only the valves in full compliance with ASME B16.34.



TSK-1008  
Rev. 10/2012  
Page 1 of 1

# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|  |   |
|--|---|
| MANUFACTURERS NAME: A-T Controls, Inc.   |   |
| MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246  |   |
| PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 / 12840 Sugar Ridge; Stafford, TX 77477  |   |
| <b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b><br>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br>B Flanges: all flanges<br><input checked="" type="radio"/> C Valves: all line valves<br>D Expansion joints, flexible connections, and hose assemblies: all types<br>E Strainers, filters, separators, and steam traps<br>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br>H Pressure retaining components that do not fall into one of the above categories<br>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> . (Meeting AECB or ASME requirements) | <b>TITLE OF THE STANDARD OF CONSTRUCTION</b><br><br>ANSI/ASME B16.34-2017<br>ASME BPE-2016  |
| <b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b><br><br><div style="text-align: center; font-size: 2em; font-weight: bold;">AT</div>  | <b>TYPE OF CONSTRUCTION</b><br>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br>CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/><br>DESCRIBE OTHER: |
| <b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b><br><br>Supporting documentation: A-T Controls Drawing: P02804 Calculations: TR00244.<br><br>PVEng ASME BPE: UG-101 (k) & (m) Calculations (Femule Burst Testing).<br><br>ITS Pressure Burst Test (Femule testing) Report # 17010308.<br><br>Identification: H78 Series (High Purity Ball Valve)   |   |

**DECLARATION:**

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Butler, Ohio  
 This 3rd day of December AD 2018  
 Commissioner of Oaths  
 or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



**DANIEL TRIBBE**  
 Notary Public, State of Ohio  
 My Commission Expires  
 April 16, 2022

|  |   |
|--|---|
| This space for Regulatory Authority use<br>This registration must be revalidated after ten (10) years from the date of acceptance:   |   |
| CRN: <u>OC21013.5</u><br><br>FID#: <u>15253</u>  | <div style="text-align: center;"> <br/>         BY <u>[Signature]</u><br/>         CRN <u>OC21013.5Y</u><br/>         DATE <u>02/08/2018</u> </div> |
| <b>Notes:</b><br>1. All fittings shall be registered in the name of the Manufacturer.<br>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years. |   |