

**STATUTORY DECLARATION  
Registration of Fittings**

I, Steve Wells, Chief Financial Officer  
(name of applicant) (position title) (must be in a position of authority)  
of A-T Controls, Inc.  
(name of manufacturer)  
located at 9955 International Blvd; Cincinnati, OH. 45246  
(plant address)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act (check one)

- ☒ comply with the requirements of API 608; ANSI/ASME B16.34 which specifies the dimensions, (title of recognized North American Standard)  
materials of construction, pressure/temperature ratings and identification marking of the fittings, or  
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached (title of code of construction or other applicable document)  
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been verified by the following authority, AVU Registrations as being suitable for the manufacture of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

PFA Lined Split Body Flanged Ball Valves

(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

Drawings: P02527 and P02595; Series LB CRN Engineering Report # TR00201; Product Catalog

DECLARED before me at West Chester in the State of Ohio  
(city) (province or state)  
this 16th day of JAN, 2018  
(Month) (Year)

(print) Brandon Greene  
(a Commissioner of Oaths or Notary Public)

(sign) [Signature]  
(a Commissioner of Oaths or Notary Public)



BRANDON GREENE  
Notary Public, State of Ohio  
My Commission Expires  
December 4, 2021

**For ABSA Office Use Only:**

NOTES: \_\_\_\_\_

To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act and CSA Standard B51, Clause 4.2, and is accepted for registration in Category C

Registration Number: 0 C 2 0 0 3 2 . 5 2

[Signature] **MADISAVJEVIC**  
(Signature of the Administrator/SCO)

Date Registered: MAR 21 2018

Expiry Date: FEB. 1, 2020

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the Pressure Equipment Discipline.


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: A-T Controls, Inc.	
MANUFACTURERS ADDRESS: 9955 International Blvd; Cincinnati, OH. 45246	
PLANT LOCATIONS: 9955 International Blvd; Cincinnati, OH. 45246 & 12840 Sugar Ridge; Stafford, TX 77477	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AEGB or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  API 608; ANSI/ASME B16.34
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>  <div style="text-align: center; font-size: 2em;">  </div>	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  Supporting documentation: Drawing #'s P02527 and P02595; Series LB CRN Engineering Report# TR00201; Product Catalog  Identification: Series LB, PFA Lined Split Body Flanged Ball Valve	

**DECLARATION:**

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Butler, Canada


This 16th day of JAN AD 18

Commissioner of Oaths or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



BRANDON GREENE  
Notary Public, State of Ohio  
My Commission Expires  
December 4, 2021

This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance.	
CRN: <u>OC20032.5</u> FID#: <u>15253</u>	 <b>DEPT OF PUBLIC SAFETY</b> <b>BOILER &amp; PRESSURE VESSEL ACT</b>
<b>REGISTRATION ONLY</b> CRN <u>OC20032.57</u> EXAMINER: <u>[Signature]</u> for <b>CHIEF BOILER INSPECTOR</b>	
DATE: <u>3/16/2018</u>	

**Notes:**

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

☐ BLRs    ☐ PVs  
☒ FITTINGS    ☐ COMPONENTS


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

<b>MANUFACTURERS NAME:</b> A-T Controls, Inc.	
<b>MANUFACTURERS ADDRESS:</b> 9955 International Blvd; Cincinnati, OH. 45246	
<b>PLANT LOCATIONS:</b> 9955 International Blvd; Cincinnati, OH. 45246 & 12840 Sugar Ridge; Stafford, TX 77477	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  API 608; ANSI/ASME B16.34
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>  <div style="text-align: center; font-size: 2em;">  </div>	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OR OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  Supporting documentation: Drawing #'s P02527 and P02595; Series LB CRN Engineering Report# TR00201; Product Catalog Identification: Series LB, PFA Lined Split Body Flanged Ball Valve	

## DECLARATION:

I, Steve White, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]

Declared before me at Bulletts Corners

This 16th day of JAN AD 18

Commissioner of Oaths  
or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



BRANDON GREENE  
Notary Public, State of Ohio  
My Commission Expires  
December 4, 2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: QC20032.5

FID#: 15253

Newfoundland  
Labrador  
Service NL

Registered QC20032.50

Date 23 MAR 2018

Engineering and Inspection Services

Registered by [Signature]

UNDER THE AUTHORITY OF THE  
PUBLIC SAFETY ACT AND  
THE BOILER, PRESSURE VESSEL AND  
COMPRESSED GAS REGULATIONS

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.


# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURER'S NAME: <u>A-T Controls, Inc.</u>	
MANUFACTURER'S ADDRESS: <u>8955 International Blvd; Cincinnati, OH, 45246</u>	
PLANT LOCATIONS: <u>8955 International Blvd; Cincinnati, OH, 45246 &amp; 12840 Sugar Ridge; Stafford, TX 77477</u>	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY	
<p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p>B Flanges: all flanges</p> <p><b>C Valves: all line valves</b></p> <p>D Expansion joints, flexible connections, and hose assemblies: all types</p> <p>E Strainers, filters, separators, and steam traps</p> <p>F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p>G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p>H Pressure retaining components that do not fall into one of the above categories</p> <p>N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)</p>	<p>TITLE OF THE STANDARD OF CONSTRUCTION</p> <p>API 608; ANSI/ASME B16.34</p>
SHOW MANUFACTURER'S NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT	
	
TYPE OF CONSTRUCTION	
<p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/></p> <p>CAST <input type="checkbox"/> OTHER <input type="checkbox"/></p> <p>DESCRIBE OTHER:</p>	
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:	
<p>Supporting documentation: Drawing #'s P02527 and P02595; Series LB CRN Engineering Report# TR00201; Product Catalog</p> <p>Identification: Series LB, PFA Lined Split Body Flanged Ball Valve</p>	

## DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Bullet Creek  
 This 16th day of JAN AD 18  
 Commissioner of Oaths, or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)




BRANDON GREENE  
 Notary Public, State of Ohio  
 My Commission Expires  
 December 4, 2021

This space for Regulatory Authority use	
This registration must be revalidated after ten (10) years from the date of acceptance	
CRN: <u>0C20032.5</u>	
FID#: <u>15253</u>	
<p>Notes:</p> <ol style="list-style-type: none"> <li>1. All fittings shall be registered in the name of the Manufacturer.</li> <li>2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.</li> <li>3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.</li> <li>4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</li> </ol>	
<p>Northwest Territories  <b>REGISTERED</b>                  UNDER THE AUTHORITY OF                  THE BOILER AND PRESSURE                  VESSEL ACT.                  C.R.N. <u>0C20032.5T</u>                  SIGNED <u>[Signature]</u>                  DATE <u>March 17/2018</u></p>	

163.00

NEW BRUNSWICK  
NUNAVUTNOVA SCOTIA  
YUKONPRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR


MANUFACTURERS NAME: A-T Controls, Inc.	
MANUFACTURERS ADDRESS: 8955 International Blvd; Cincinnati, OH. 45248	
PLANT LOCATIONS: 8955 International Blvd; Cincinnati, OH. 45248 & 12840 Sugar Ridge; Stafford, TX 77477	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="checkbox"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b> 	
<b>TITLE OF THE STANDARD OF CONSTRUCTION</b> API 608; ANSI/ASME B16.34	
<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:	
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b> Supporting documentation: Drawing #'s P02527 and P02595; Series LB CRN Engineering Report# TR00201; Product Catalog Identification: Series LB, PFA Lined Split Body Flanged Ball Valve	

**DECLARATION:**

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: Steve WellsDeclared before me at Butler CountyThis 16th day of JAN AD 18Commissioner of Oaths  
or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



 AGENT FOR THE  
**BRANDON GREENE**  
 Notary Public, State of Ohio  
 My Commission Expires  
 December 4, 2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: OC20032.5FID#: 15253**Notes:**

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.




# **UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES


NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>A-T Controls, Inc.</u>	
MANUFACTURERS ADDRESS: <u>9955 International Blvd; Cincinnati, OH. 45246</u>	
PLANT LOCATIONS: <u>9955 International Blvd; Cincinnati, OH. 45246 &amp; 12840 Sugar Ridge; Stafford, TX 77477</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <b>C Valves: all line valves</b> D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  API 608; ANSI/ASME B16.34
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>  	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  Supporting documentation: Drawing #'s P02527 and P02595; Series LB CRN Engineering Report# TR00201; Product Catalog Identification: Series LB, PFA Lined Split Body Flanged Ball Valve	

**DECLARATION:**

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Butler, Canada  
 This 16th day of Jan AD 1818  
 Commissioner of Oaths [Signature]  
 or Notary Public: (sign)  
 (Affix Official seal to the right)



NOTARY PUBLIC  
 BRANDON GREENE  
 Notary Public, State of Ohio  
 My Commission Expires  
 December 4, 2021

This space for Regulatory Agency use: This registration must be revalidated after ten (10) years from the date of acceptance.  CRN: <u>OC20032.5</u> FID#: <u>15253</u>  <b>Notes:</b> 1. All fittings shall be registered in the name of the Manufacturer. 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.	<b>NUNAVUT</b> Boilers and Pressure Vessels Act  <b>REGISTERED</b> CRN <u>OC20032.5N</u> Date <u>March 16, 2018</u> Signed <u>[Signature]</u> Chief Inspector  <b>Territorial Registration Fee</b>
---	--





345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
Tel. 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

February 01, 2018

PETE VEZEY  
A-T CONTROLS INC  
9955 INTERNATIONAL BLVD  
CINCINNATI OH 45246  
US

Service Request Type: BPV-Fitting Registration  
Service Request No.: 2227980  
Your Reference No.:  
Registered to: A-T CONTROLS INC

Dear PETE VEZEY,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

**CRN No.: 0C20032.5**  
**Main Design No.: SERIES LB FLANGED BALL VALVES PER DWG# P02527 & P02595**  
**Expiry Date: 01-Feb-2028**

**Note: This registration covers only the valves that are in full compliance with ASME B16.34 standard.**

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

A stamped copy of the approved registration and invoice for engineering services will be sent to you shortly. Should you have any questions or require further assistance, however, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic P. Eng.  
Mechanical Engineer, BPV  
Tel.: 416-734-3429  
Fax: 416-231-6183  
Email: [zgacevic@tssa.org](mailto:zgacevic@tssa.org)



Technical Standards and Safety Authority  
345 Carlingview Drive  
Toronto, Ontario M9W 6N9  
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



## STATUTORY DECLARATION Registration of Fittings

I, Steve Wells, Chief Financial Officer  
(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of A-T Controls, Inc.  
(Name of Manufacturer)

Located at 9955 International Blvd; Cincinnati, OH (513) 247-5465 (513) 247-5462  
(Plant Address) (Telephone No.) (Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of  
API 608; ANSI/ASME B16.34

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001:2015 which has been verified by the following authority, AVU Registrations

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:

Drawings# P02527, P02595; Series LB CRN Engineering Report # TR00201; Product literature


(drawings, calculations, test reports, etc.)

Declared before me at Butler County in the State of Ohio  
the 16th day of JAN AD 20 18

Commissioner for Oaths:

Brandon Greene  
(Printed name)

[Signature]  
(Signature)



BRANDON GREENE  
Notary Public, State of Ohio  
My Commission Expires  
December 4, 2021

[Signature]  
(Signature of Declarer)

### FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category "C"

CRN: OC20032.5

Registered by: ZIVKO GACEVIC

Dated: Feb. 1, 2018

NOTE: This registration expires on: Feb 1 2028

Technical Standards and Safety Authority  
Boilers and Pressure Vessels Safety Program

**REGISTERED**

C.R.N.: OC20032.5

Signed: [Signature]

Date: Feb. 1, 2018

\*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.

PV 09553 (04/17)

Note: -This registration covers only the valves that are in full compliance with ASME B16.34 standard. z.g. 02/01/18



# Statutory Declaration Registration of Fittings

REGISTERED



CRN: **CSA-OC 200 32.56**

Registration Process administered by  
CSA Group per CSA B51

## (a) Design Qualification

I<sup>1</sup> Steve Wells  
Chief Financial Officer

(Position eg. president, plant manager, chief eng.)

Of A-T Controls, Inc.  
(name of company)

Located at 9955 International Blvd; Cincinnati, OH. 45246  
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

☒ comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required: AP2608 & B16.34

Or

☐ are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with \_\_\_\_\_ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

## (b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ISO 9001-2015, and has been verified by the following authority or authorized agency AVU Registrations

The fittings<sup>2</sup> covered by this declaration, for which I seek registration, are under A-T Controls, Inc; 9955 International Blvd; Cincinnati, OH. 45246

In support of the application, the following information, calculations and/or test data are attached:

Drawings: P02527; P02595; Series LB CRN Report# TR00201; Product Catalog

Declared before me at West Chester, Ohio

In the of State of Ohio

The 16 Day of Jan AD 2018

[Signature]  
A (commissioner for oaths)



BRANDON GREENE  
Notary Public, State of Ohio  
My Commission Expires  
December 4, 2021

Signature of Declarer<sup>1</sup>

### For Official Use Only

The application is accepted for registration in Category C in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.

This registration must be revalidated after ten (10) years from the date of acceptance. FEB. 01. 2028

Registered Number CRN CSA-OC 200 32.56  
For the Chief Inspector R. W. BARNES  
Date APRIL. 06. 2018

- 1 Three completed copies of Statutory Declaration form together with three copies of Catalogs, drawings of Bulletins illustrating above fittings shall be submitted.
- 2 All fittings are required to be registered in the name of the Manufacturer.
- 3 This form shall be completed and signed by the president of highest official in the manufacturing plan where the fitting is produced.

\*Note:

1. See attachment as the scope of registration.
2. This registration covers only the valves in full compliance with ASME B16.34.





**Statutory Declaration (Registration of Fittings)**

**TSK-1008**

**I. Declaration Information**

I, Steve Wells  
Chief Financial Officer  
(company title, e.g. vice president, plant manager, chief engineer)  
(must be in a position of authority in the manufacturing plant where the fitting is produced)

In this space, show facsimile of manufacturer's logo or trademark as it will appear on the fitting.



of: A-T Controls, Inc.  
(name of manufacturer)

located at: 9955 International Blvd. Cincinnati, OH 45246  
(Plant Address - Apt/Street) (City, Prov) (Postal Code)

do solemnly declare that the fittings listed hereinunder, which are subject to the **Saskatchewan Boiler and Pressure Vessel Safety Act** (check one)

- ☒ Comply with the requirements of API 608; ANSI/ASME B16.34 which specifies the dimensions, Materials of construction, pressure / temperature ratings and identification marking of the fittings, or  
(title of recognized North American Standard)
- ☐ Are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with \_\_\_\_\_ as supported by the attached data which identifies the dimensions, materials of construction, pressure / temperature ratings and the basis for such ratings, and the marking of the fittings for identification.


I further declare that the manufacturer of these fittings is controlled by a quality control program which has been verified by the following authority, AVU Registrations as being suitable for the manufacturer of these fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

manufactured by Wenzhou Xuanda, licensed to and being registered under A-T Controls, Inc. 9955 International Blvd. Cincinnati, OH 45246

In support of this application, the following information, calculations and / or test data are attached:

Drawings: P02527 and P02595; Series LB CRN Report# TR00201; Product Catalog

**II. Declaration**

DECLARED before me at West Chester In the State of Ohio  
this 16th day of Jan, 2018  
Brandon Greene  
(print name)  
Brandon Greene  
(Signature of Commissioner or Oath)  
 Brandon Greene  
(Signature)  
Notary Public, State of Ohio  
My Commission Expires  
December 4, 2021

**III. Office Use Only**

To the best of my knowledge and belief, the application meets the requirements of the **Boiler and Pressure Vessel Safety Act** and CSA B51, Clause 4.2, and is accepted for registration in Category C

REGISTERED



(Date Registered - MM DD YYYY)  
APRIL 06 2018  
(For the Administrator/Chief Inspector)

(Expiry Date - MM DD YYYY)  
FEB 01 2028

R.W. BARNES

CRN: CSA-DC20032-56

Registration Process administered by  
CSA Group per CSA B51

\*Note:

1. See attachment as the scope of registration.
2. This registration covers only the valves in full compliance with ASME B16.34.




# UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: <u>A-T Controls, Inc.</u>	
MANUFACTURERS ADDRESS: <u>9955 International Blvd; Cincinnati, OH. 45246</u>	
PLANT LOCATIONS: <u>9955 International Blvd; Cincinnati, OH. 45246 &amp; 12840 Sugar Ridge; Stafford, TX 77477</u>	
<b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges <input checked="" type="radio"/> C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting AECB or ASME requirements)	<b>TITLE OF THE STANDARD OF CONSTRUCTION</b>  <div style="text-align: center; font-size: 1.2em;">API 608; ANSI/ASME B16.34</div>
<b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b>  <div style="text-align: center; font-size: 2em;">  </div>	<b>TYPE OF CONSTRUCTION</b> FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
<b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b>  Supporting documentation: Drawing #'s P02527 and P02595; Series LB CRN Engineering Report# TR00201; Product Catalog  Identification: Series LB, PFA Lined Split Body Flanged Ball Valve	

## DECLARATION:

I, Steve Wells, Chief Financial Officer (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by AVU Registrations as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]  
 Declared before me at Bullet Country  
 This 16th day of JAN AD 18  
 Commissioner of Oaths or Notary Public: (sign) [Signature]  
 (Affix Official seal to the right)



BRANDON GREENE  
 Notary Public, State of Ohio  
 My Commission Expires  
 December 4, 2021

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C20032.5  
 FID#: 15253

## Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

