

A-T Controls, Inc.

Product Approvals, Certificates, and Standards

A-T VALVE SERIES		22	F23/F26	24	30	31	33/43/53	38	55	77	83	F83	8R	F8R	88	F88	HP	H78
ANSI/ ASME	B1.20.1	✓		✓			✓	✓	✓		✓	✓	✓	✓	✓	✓		
	B16.11						✓		✓		✓	✓	✓	✓	✓	✓		
	B16.25			✓			✓		✓		✓	✓	✓	✓	✓	✓		
	B16.34	✓	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		
	B16.5					✓												
	BPE						END DIM			END DIM							✓	✓
API	598	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	0	0
	607		5th Ed. CERTIFIED									6th Ed. CERTIFIED		6th Ed. CERTIFIED		6th Ed. CERTIFIED		
	608	0	0	0	0	0	0		0	0	0	0	0	0	0	0		
MSS	SP-25	✓		✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓		
	SP-55	✓																
	SP-72	✓		✓														
	SP-110										✓	✓	✓	✓				
ISO	5209						✓			✓	✓	✓	✓	✓	✓	✓		
	5211	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	2-1/2" - 4"	✓
CE/PED	2014/68/EU	✓					✓		✓	✓	✓	✓	✓	✓	✓	✓		
ATEX	94/9/EC																	
EN	1893							✓										
	19							✓										
	10204-3.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	12266-1																	✓
	12516-3																	
TA-LUFT		✓													✓			
CRN		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
NACE	MR0175	✓	✓	✓	0	0	0	0	0	0	0	✓	0	✓	0	✓		
FM	7400														0	0		
	7420														0	0		
	7422														0	0		
BS	6364																	
SIL RATED	IEC 61508: 2010	✓				✓	✓			✓	✓	✓	✓	✓	✓	✓		

LEGEND	
✓	Meets Standard
0	Optional
F-F	From Factory

A-T Controls, Inc.

Product Approvals, Certificates, and Standards

A-T VALVE SERIES		90/93	F90	F91	D9	FD9-F1 FD9-F3	FD9-F6	C8/CR	WB	W6	DR	FMB	FMU	FMX	V-Port Segment	LB	P1	TS2	TS3	TM3
ANSI / ASME	B1.20.1							✓	✓	✓	✓									
	B16.10	✓	✓	✓	✓	✓	✓					✓	✓			✓		✓	✓	✓
	B16.11							✓			✓						✓			
	B16.25							✓			✓									
	B16.34	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	B16.5	✓	✓	✓	✓	✓	✓						✓	✓	✓	✓	✓	✓	✓	✓
	FCI-70-2												✓	✓	✓	✓				✓
API	598	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	607		6th Ed. CERTIFIED	6th Ed.* CERTIFIED		6th Ed.** CERTIFIED	6th Ed. CERTIFIED		6th Ed. DESIGN	5th Ed. CERTIFIED								6th Ed. CERTIFIED	6th Ed. CERTIFIED	
	608	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	6D	90 Only	✓	✓	✓	✓	✓											✓	✓	✓
	6FA																			DESIGN
MSS	SP-25	✓	✓	✓	✓	✓	✓				✓	✓	✓	✓	✓	✓		✓	✓	✓
	SP-53											✓	✓	✓						
	SP-55											✓	✓	✓						✓
	SP-61											✓	✓	✓						
ISO	7										✓									
	228																			
	5209							✓	✓		✓							✓		
	5211	✓	✓	✓	✓	✓	✓	✓			✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	10497											✓	✓	✓						✓
	15848-1		✓			Only FD9-F1														
ISA	S75.04													✓						
CE/PED	2014/68/EU	✓	✓	✓	✓	✓	✓											✓	✓	
ATEX	94/9/EC																			
EN	10204-3.1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
TA-LUFT	90 ONLY				✓															
CRN		✓	✓	✓	✓	✓	✓					✓	✓	✓	✓	✓		✓	✓	✓
NACE	MR0175	0	0	✓	0	✓	✓		✓	✓		F-F	F-F	F-F	F-F		F-F	✓	✓	F-F
FM	7400				0	0														
	7420				0	0														
	7422				0	0														
BS	6364							✓												
SIL Rated	IEC 61508:2010	90 Only	✓	✓	✓	✓	✓					✓	✓	✓				✓	✓	✓

**The 6" SST is 4th Edition
*6" (WCB & SST) is 4th Edition

LEGEND	
✓	Meets Standard
0	Optional
F-F	From Factory

A-T VALVE SERIES		NS20	NS22	NS55	NS90	NSD9
ANSI/ ASME	B1.20.1		✓	✓		
	B16.10				✓	✓
	B16.11			✓	✓	✓
	B16.25					
	B16.34		✓	✓	✓	✓
	B16.5				✓	✓
API	598	0	0	0	0	0
	608		0	0	0	0
MSS	SP-25		✓	✓	0	0
	SP-55		✓		✓	✓
ISO	5211		✓	✓	✓	✓
CE/PED	2014/68/EU		✓			
ATEX	94/9/EC					
EN	10204-3.1	✓	✓	✓	✓	✓
TA-LUFT			✓		✓	✓
CRN		✓	✓	✓	✓	✓
NSF 61+372		✓	✓	✓	✓	✓
NACE	MR0175		✓			
SIL RATED	IEC 61508: 2010		✓		✓	✓

LEGEND	
✓	Meets Standard
0	Optional
F-F	From Factory

A-T Controls, Inc.

Product Approvals, Certificates, and Standards

A-T VALVE SERIES	OC/OS	AS	PS	PF	PM	PH	NS
ANSI/ASME	B16.34	✓	✓	✓	✓	✓	✓
	B16.5	✓	✓	2"-24"	2"-24"	2"-24"	2"-24"
	B16.42						✓
	B16.47			26"-48"	26"-48"	26"-48"	26"-48"
	FCI-70-2				✓	✓	✓
API	598	✓	✓	✓	✓	✓	✓
	607				6th Ed. CERTIFIED		
	6D			✓	✓	✓	✓
	6FA						
	609	✓	✓	✓	✓	✓	✓
MSS	SP-53			✓	✓	✓	✓
	SP-67	✓		✓	✓	✓	✓
	SP-68			✓	✓	✓	✓
ISO	5211	✓	✓	✓	✓	✓	✓
CE/PED	2014/68/EU			✓	✓	✓	✓
EN	10204-3.1		✓	✓	✓	✓	✓
CRN		✓	✓	✓	✓	✓	✓
NSF 61+372							✓
NACE	MR0175			F-F	F-F	F-F	F-F
ABS		✓					
SIL Rated	IEC 61508:2010			✓	✓	✓	✓

LEGEND	
✓	Meets Standard
O	Optional
F-F	From Factory