

PART NUMBER MATRIX

MANUAL BALL VALVES

HOW TO ORDER

1 Prefix	
blank	No prefix - Standard
F	Firesafe Tested
F	(on 31 Series) Graphite Packing and Seals
T	(on 31 Series) TFM Packing and Seals

2 Valve Series	
10	1pc. Regular Port 2000 WOG
20	2pc. Full Port 2000 WOG
21	2pc. Regular Port 1000 WOG
22	2pc. Direct Mount 1000/800 WOG, Full Port
23	2pc. 3600 WOG, Seal-Welded
24	2pc. 3000 WOG
26	2pc. 6000 WOG, Seal-Welded
30	3-Way Flanged Full Port
31	3-Way Flanged Direct Mount Full Port
33	3, 4, 5-Way Full Port, Multi-port
38	3-Way NPT, Regular Port
55	3pc. 1000 WOG, Full Port
77	3pc. 1000 WOG, Full Port, Sanitary
83	3pc. 2000/1500 WOG, Full Port
8R	3pc. 2000/1500 WOG, Regular Port
88	3pc. Direct Mount 2000/1500 WOG, Full Port
R8	3pc. Direct Mount 2000/1500 WOG, Regular Port
90	2pc. Flanged Full Port (Investment Cast)
91	Unibody Regular Port Flanged
93	2pc. Flanged Full Port (Sand Cast)
V7	3pc. Sanitary, V-Port
V8	3pc. V-Port
V9	Flanged V-Port
D9	Direct Mount Flanged
T5	Tank Bottom 3pc.
C8	Cryogenic 3pc. Full Port
CR	Cryogenic 3pc. Regular Port
DR	3-Way Bottom Entry Diverter Valve
LB	PFA Lined Split Body Flanged Ball Valve
P1	Schedule 10 Piggable Valve
MU	Metal Seat Unidirectional Shutoff, Floating Ball
MB	Metal Seat Bidirectional Shutoff, Floating Ball
MS	Metal Seat Scraper Seat Design
MX	Metal Seat 3 pc. Bidirectional, Floating Ball
M3	3-Way Metal Seat
VS	Segment V-Port, Soft Seat
VM	Segment V-Port, Metal Graphite Packing
VV	Segment V-Port, Metal Viton® Packing
WB	Block and Bleed Isolation Valve, 2000 WOG
W6	Block and Bleed Isolation Valve, 6000 WOG

3 Body Material	
Blank	No Designation=SST Body and Trim
A	Alloy 20
C	Carbon Steel Body
L	Low Carbon 316L Stainless Steel
J	Low Carbon 304 Stainless Steel
H	Carbon Body /Hastelloy Ball & Stem
Q	Carbon Steel Body/Monel Ball & Stem
R	316 SST Body/Monel Ball & Stem
T	Hastelloy C-276 Body & Trim
E	Electropolished Stainless Steel
Z	Epoxy Coated Carbon Steel
D	CD3MN Duplex SST
G	CE3MN Super Duplex SST
4	F316H Forged
5	LCB
8	LCC
6	WC6
9	WC9

4 End Connection	
TH	NPT Ends
SW	Socket Weld Ends
BW	Butt Weld Ends
EW	Extended Butt Weld Ends
F1	150# Flanged Ends
F3	300# Flanged Ends
F6	600# Flanged Ends
FR	600# RTJ Flanged Ends
SA	Sanitary Clamp Ends
SF	Sanitary Clamp Ends w/ Cavity Filler
DA	Tube O.D. Ends
DF	Tube O.D. Ends w/ Cavity Filler
TE	NPT x Extended Butt Weld
TS	NPT x Socket Weld
MF	Male NPT x Female NPT
QQ	Tube Socket Weld
W1	150# Wafer
W3	300# Wafer
W6	600# Wafer

5 Valve Size	
0025	1/4"
0038	3/8"
0050	1/2"
0075	3/4"
0100	1"
0125	1-1/4"
0150	1-1/2"
0200	2"
0250	2-1/2"
0300	3"
0400	4"
0600	6"
0800	8"
1000	10"
1200	12"

6 Seat, Lining & Trim Materials	
X	Reinforced TFE Seats (RTFE)
P	Virgin TFE (PTFE)
U	UHMWPE Seats
D	Delrin®
S	50/50 STFE Seats
C	25% CS Powder/ 75% TFE Seats (CTFE)
T	TFM™-1600
F	TFE Cavity Filler
K	PCTFE (Cryogenic)
L	PFA Lined w/ PTFE Seats
M	MG1241
Z	PEEK
2	Tungsten Carbide Coated 316 SST Seats & Ball
3	HCr Coated Ball/Stellite® Inlay Seats
4	Chrome Carbide Coated 316 SST Seats & Ball
8	Inconel® 718+CrC

7 Special Designations	
X	No Specials
G	Gear Operator
R	Regular Port Valve
O	Oval Handle (available on some)
S	Spring Return Handle (Direct Mount only)

8 Additional Specials	
X	No Specials
O	Oxygen Cleaned
Z	Special End Configuration
V	Vented Ball
E	Bonnet Extension Lockable Handle
F	Fugitive Emissions Bonnet
D	Degreased & Bagged

9 Special Designation	
3	30° V-Port (v-ball)
6	60° V-Port (v-ball)
9	90° V-Port (v-ball)
Blank	No Designation = 316 SST Stem
A	17-4 PH® Stem
B	XM-19 (Nitronic 50) Stem
C	Duplex 2205 Stem
D	Inconel® 718 Stem
L	L-Port 3-Way arrangement
T	T-Port 3-Way arrangement
K	FFKM O-Ring

* Viton® is a registered trademark of E.I. DuPont de Nemours.
 * Delrin® is a registered trademark of DuPont Performance Polymers.
 * TFM™ is a trademark of Dyneon™, a 3M Company.
 * Stellite® is a registered trademark of the Deloro Stellite Company, Inc.
 * Inconel® is a registered trademark of Inco Alloys/Special Metals Corporation.

HOW TO ORDER MANUAL VALVES													
1	-	2	3	-	4	-	5	-	6	7	8	-	9
↓		↓	↓		↓		↓		↓		↓		↓
F	-	88	C	-	TH	-	0150	-	X	X	X		

PART MATRIX

