

December 19, 2022

Attention: Rudy Owusu
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO, ON M9W 6N9

The design submission, Tracking Number 2022-06977, Web Portal Number 2022-S3068, originally received on December 06, 2022 was surveyed and accepted for registration as follows:

CRN : 0C24265.52 **Accepted on:** December 19, 2022
Reg Type: NEW DESIGN **Expiry Date:** November 01, 2032
Drawing No. : SCOPE OF REGISTRATION
Fitting type: L2/L2C SERIES PFA BALL VALVES CL.150
Design registered in the name of : A-T CONTROLS INC

The registration is conditional on your compliance with the following notes:

*** This registration covers only those valves that are in strict compliance with ASME B16.34, with respect to dimensions, pressure and temperature ratings, materials, markings etc.*

*** The following drawings are included as part of this registration: P04355 Rev 0, P04356 Rev 0, P04360 Rev 0*

As indicated on AB-41 Statutory Declaration or AB-351 Declaration of Conformity form and submitted documentation, the code of construction is B16.34.

- It is our understanding that the fitting(s), included as the scope of this submission, that is(are) subject to the Safety Codes Act shall comply with the requirements of the indicated Standard or Code of Construction on the AB-41 Statutory Declaration or AB-351 Declaration of Conformity as supported by the attached data which identifies the dimensions, materials of construction, press./temp. ratings and the basis for such ratings, and the identification marking of the fittings.*
- This registration is valid only for fittings fabricated at the location(s) covered by the QC certificate attached to the accepted AB-41 Statutory Declaration or AB-351 Declaration of Conformity form.*
- This registration is valid only until the indicated expiry date and only if the Manufacturer maintains a valid quality management system approved by an acceptable third-party agency, and maintains a valid Certification of Authorization Permit if required by the jurisdiction where manufacturing takes place, until that date.*
- Should the approval of the quality management system lapse before the expiry date indicated above, this registration shall become void.*

An invoice covering survey and registration fees will be forwarded from our Revenue Accounts.

If you have any question don't hesitate to contact me by phone at (780) 433-0281 ext 3337 or fax (780) 437-7787 or e-mail Dick@absa.ca.

Sincerely,



DICK, ASHLING, P. Eng.
DOP Cert. No. D00007936

December 19, 2022

**STATUTORY DECLARATION
Registration of Fittings**

I, Steve Wells, Chief Financial Officer
(name of applicant) (position title) (must be in a position of authority)
of A-T Controls, Inc.
(name of manufacturer)
located at 9955 International Blvd; Cincinnati, OH. 45246
(plant address)

In this space, show facsimile of
manufacturer's logo or trademark
as it will appear on the fitting.



do solemnly declare that the fittings listed hereunder, which are subject to the Safety Codes Act
(check one)

- ☒ comply with the requirements of ASME B16.34-2020; ASME Sec VIII Div 1 (2021) which specifies the dimensions,
(title of recognized North American Standard)
materials of construction, pressure/temperature ratings and identification marking of the fittings, or
☐ are not covered by the provisions of a recognized North American standard and are therefore manufactured
to comply with _____ as supported by the attached
(title of code of construction or other applicable document)
data which identifies the dimensions, materials of construction, pressure/temperature ratings and the basis
for such ratings, and the marking of the fittings for identification.

I further declare that the manufacture of these fittings is controlled by a quality control program which has been
verified by the following authority, AVU Registrations as being suitable for the manufacture of these
fittings to the stated standard. The fittings covered by this declaration, for which I seek registration, are

L2 / L2C Series PFA Lined Ball Valves 1/2" through 8"
(brief description of fittings)

In support of this application, the following information, calculations and/or test data are attached:

Drawings: P04355 Rev 0, P04356 Rev 0, P04360 Rev 0. Calculations: TR00469 Rev 0

DECLARED before me at Butler County in the State
(city) (province or state)

this 8th day of August, 2022
(Month) (Year)

(print) Ben Smith
(a Commissioner of Oaths or Notary Public)

(sign) [Signature]
(a Commissioner of Oaths or Notary Public)



BENJAMIN MATHEW SMITH
Notary Public, State of Ohio
My Commission Expires
August 31, 2026
COMMISSION: 2021-RE-836646

For ABSA Office Use Only:

NOTES: **** See attached for scope of registration and a list of manufacturing locations.**


To the best of my knowledge and belief, the application meets the requirements of the Safety Codes Act,
Standard B51, Clause 4.2, and is accepted for registration in Category 'C'

Registration Number: _____

Date Registered: 2022-12-19

Expiry Date: 2032-11-01

The information you provide is necessary only for the administration of the programs as required by the Alberta Safety Codes Act and Regulations in the
Pressure Equipment Discipline.



This stamp and signature have been affixed electronically
to this registered design as required by Section 20(1) of
the Pressure Equipment Safety Regulation, in accordance
with the Electronic Transactions Act.

SCOPE OF REGISTRATION

(dimensions in inches)

Series	Sizes
L2/L2C Series PFA Lined Ball Valves	1/2"; 3/4"; 1"; 1-1/2"; 2"; 2-1/2"; 3"; 4"; 6"; 8"



P. Vezey

Quality Manager

A-T Controls, Inc.

Date: 12 August 2022

**THIS IS PART OF CRN
0C24265.5**

Technical Standards and Safety Authority
Boilers and Pressure Vessels Safety
Program

2022-06977

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C24265.52

**See acceptance letter for
conditions of registration.**

Date: ~~2022-12-19~~

By:



ASHLING DICK, P. Eng.
DOP: D00007936

This stamp and signature have been affixed electronically to this registered design as required by Section 20(1) of the Pressure Equipment Safety Regulation, in accordance with the Electronic Transactions Act.



A-T Controls, Inc.

9955 International Blvd. • Cincinnati, Ohio 45246
Phone: 513.247.5465 Fax: 513.247.5462
www.atcontrols.com

05 August 2022

LIST OF PLANT SITES

Site 1:

A-T Controls, Inc.
9955 International Blvd.
Cincinnati, OH. 45246

Site 2:

A-T Controls, Inc.
12840 Sugar Ridge Blvd.
Stafford, TX. 77477

THIS IS PART OF CRN

0C24265.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program

P. Vezey
Quality Manager
A-T Controls, Inc.

2022-05977

ABSA

SAFETY CODES ACT - PROVINCE OF ALBERTA

ACCEPTED: 0C24265.52

**See acceptance letter for
conditions of registration.**

Date: 2022-12-19

By:

ASHLING DICK, P. Eng.
DOP: D00007836

This stamp and signature have been affixed electronically
to this registered design as required by Section 20(1) of
the Pressure Equipment Safety Regulation, in accordance
with the Electronic Transactions Act.



Manual and Automated Quarter Turn Valves
Complete Valve and Damper Automation



TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ON M9W 6N9

Date: February 2, 2023
Account #: 35231
Journal #: 81988

Attn: TSSA BPV NATIONAL REGISTRATION

Re: Application for Design Registration

The design, as detailed in your, 0C24265.5 -A-T CONTROLS INC, for a Fitting is accepted for registration as follows:

Registered To: A-T CONTROLS, INC. **CRN:** 0C24265.51

Drawing #: Scope of Registration

Drawing Revision: N/A

This design was registered based on a technical review performed by the province of initial registration in accordance with the Association of Chief Inspectors policy on reciprocal recognition of design review.

Reviewer's Notes:

Scope: L2/L2C Series PFA Ball Valves Class 150 per Scope of Registration. The valves shall be in full compliance with ASME B16.34

As required by CSA B51 4.2.1, this registration expires on 01-Nov-2032. This CRN is valid until the expiry date as long as the Manufacturer maintains a valid quality control program verified by an acceptable third-party agency until that date. Should the certification of the quality control program lapse before the expiry date, this registration shall become void. Any additional conditions of registration stated in TSSA CRN# 0C24265.5 registration shall apply to BC registration.

Contact me if you have any questions. The invoice for registration will be forwarded under separate cover.

Emilia Tam

emilia.tam@technicalsaftybc.ca
Design Administration

cc:


UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

New Brunswick
Nunavut

Nova Scotia
Yukon

Prince Edward Island
Northwest Territories


Newfoundland and Labrador

Manufacturers Name: A-T Controls, Inc.	
Manufacturers Address: 9955 International Blvd., Cincinnati, OH. 45246	
Plant Locations: 9955 International Blvd., Cincinnati, OH. 45246 / 12840 Sugar Ridge Blvd., Stafford, TX. 77477	
Category of Fittings to be registered. Circle one Category only A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting CNSC or ASME requirements)	Title of the Standard of Construction Valves: A351 / CF8M ASME B16:34-2020 Valves: Carbon Steel ASTM A216 Grade WCB-2021
Show Manufacturers Name, Trademark, or Logo as it will appear on the product 	
Type of Construction Forged <input type="checkbox"/> Welded <input type="checkbox"/> Wrought <input type="checkbox"/> Cast <input checked="" type="checkbox"/> Other <input type="checkbox"/> Describe other:	
List of supporting documentation and identification of the actual items to be registered: Scope of Registration: L2/L2C Series PFA Lined Ball Valves, sizes 1/2" through 8". Drawings: P04355 Rev 0; P04356 Rev 0; P04360 Rev 0. Calculations: TR00469 Rev 0.	

Declaration:

I, Steve Wells / CFO (see note 3) employed by A-T Controls, Inc. and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]
 Declared before me at Butler County State of Ohio
 This 8th day of August AD 2022
 Commissioner of Oaths
 Or Notary Public: (sign) [Signature]
 (Affix Official seal to the right)



CRN: <u>0C24265.5</u> FID#: <u>15253</u> Notes: 1. All Fittings shall be registered in the name of the Manufacturer. 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation. 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product. 4. Quality Control programs shall be resubmitted for validation. Note: CI.150 rating. CRN expires Nov.1st, 2032 (DGallant) 11/2016	This space for Regulatory Authority use This registration must be revalidated after ten (10) years from the date of acceptance. DEPT OF JUSTICE PUBLIC SAFETY BOILER & PRESSURE VESSEL ACT REGISTRATION ONLY CRN <u>0C24265.57</u> <u>[Signature]</u> CHIEF BOILER INSPECTOR DATE <u>2/10/23</u> Sect 1.0 - Fittings Rev.2
---	---

☐ BLRs ☐ PVs
☒ FITTINGS ☐ NUCLEAR COMPONENTS

Newfoundland and Labrador

This space for Regulatory Authority use
 This registration must be revalidated after ten (10) years from the date of acceptance.
 Newfoundland
 Labrador

CRN: 0C24265.5
 FID#: 15253
 Notes:
 1. All Filings shall be registered in the name of the Manufacturer.
 2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
 3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
 4. Quality Control programs shall be resubmitted for validation.
 Note: CI.150 rating. CRN expires Nov.1st, 2032 (DGallant)
 11/2018

Registered 0C24265.5.0
 Date Feb 13, 2023
 Engineering and Inspection Services
 Registered by [Signature]
 UNDER THE AUTHORITY OF THE
 PUBLIC SAFETY ACT AND Sect 1.0 - Filings Rev 2
 THE BOILER, PRESSURE VESSEL AND
 COMPRESSED GAS REGULATIONS

Newfoundland and Labrador

This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C24265.5

FID#: 15253

Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

Note: CI.150 rating. CRN expires Nov.1st, 2032 (DGallant)
11/2016

GOVERNMENT OF YUKON
BY [Signature]
CRN 0C24265.5Y
DATE 02/10/2023
BOILERMAINTENANCE BRANCH
Sect 1.0 - Fittings Rev.2

Newfoundland and Labrador

163.00

Newfoundland and Labrador:

CRN 0024255-5N
 Date 02109/2023
 Signed [Signature]
 Chief Inspector [Signature] Section 10 Fittings Rev.2
 Territorial Registration Fee



345 Carlingview Drive
Toronto, Ontario M9W 6N9
Tel.: 416.734.3300
Fax: 416.231.1626
Toll Free: 1.877.682.8772

www.tssa.org

November 1, 2022

A-T CONTROLS INC
9955 INTERNATIONAL BLVD
CINCINNATI OH 45246

Workorder Type: Registration - Fitting(Conventional)
Workorder No: 8183039
Your Reference No.: L2/L2C SERIES PFA LINED BALL VALVES
Registered to: A-T CONTROLS INC

Dear PETE VEZEY,

Technical Standards and Safety Authority (TSSA) is pleased to inform you that your submission has been reviewed and registered as follows:

CRN : 0C24265.5

Main Design No.: L2/L2C Series PFA Ball Valves Class 150 per Scope of Registration

Expiry Date: Nov 01, 2032

Please be advised that a valid quality control system must be maintained for the fitting registration to remain valid until the expiry date.

The valves shall be in full compliance with ASME B16.34

The stamped copy of the approved registration and the invoice are mailed separately (There will be no hard copies for electronic submissions). Should you have any questions or require further assistance, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. We will be happy to assist you. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Zivko Gacevic , P. Eng.
Engineer, BPV
Tel. : +1 416-734-3429
Email : zgacevic@tssa.org



Technical Standards and Safety Authority
345 Carlingview Drive
Toronto, Ontario M9W 6N9
www.tssa.org

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below

STATUTORY DECLARATION Registration of Fittings

I, Steve Wells (CFO)

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of A-T Controls, Inc.

(Name of Manufacturer)

Located at 9955 International Blvd.; Cincinnati, OH. 45246

(Plant Address)

(513) 247-5465

(Telephone No.)

(513) 247-5462

(Fax No.)

☒ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of ASME B16.34-2020 and ASME Section VIII Div 1-2021

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☐ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO 9001-2015 which has been verified by the following authority, AVU Registrations

The items covered by this declaration, for which I seek registration, are category "C" type fittings. In support of this application, the following information and/or test data are attached as follows:

Drawings: P04355; P04356; P04360. Calculations: TR00469

(drawings, calculations, test reports, etc.)

Declared before me at Chester, Ohio in the Chester County of Ohio

the 11th day of August AD 20 22

Commissioner for Oaths:

BRANDON GREENE

(Printed name)

[Signature]

(Signature)



BRANDON GREENE
Notary Public, State of Ohio
My Commission Expires
December 04, 2026
COMMISSION: 2016-RE-621056

[Signature]
(Signature of Declarer)

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category 'C'

CRN: _____

Registered by: _____

Dated: _____

NOTE: This registration expires on: **Nov. 1, 2032**

Technical
Standards
and Safety
Authority

Boilers and
Pressure Vessels
Safety Program

REGISTERED

C.R.N.: 0C24265.5

Signed: [Signature]

Date: **November 1, 2022.**

*Information provided in this application is releasable under the Freedom of Information and Privacy Protection Act and may be disclosed upon request.

PV 09553 (04/17)

Note: See attached documents for Scope of Registration and Manufacturing Locations.

SCOPE OF REGISTRATION

(dimensions in inches)

Series	Sizes
L2/L2C Series PFA Lined Ball Valves	1/2"; 3/4"; 1"; 1-1/2"; 2"; 2-1/2"; 3"; 4"; 6"; 8"



P. Vezey

Quality Manager

A-T Controls, Inc.

Date: 12 August 2022

THIS IS PART OF CRN

0C24265.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program



A-T Controls, Inc.

9955 International Blvd. • Cincinnati, Ohio 45246
Phone: 513.247.5465 Fax: 513.247.5462
www.atcontrols.com

05 August 2022

LIST OF PLANT SITES

Site 1:

A-T Controls, Inc.
9955 International Blvd.
Cincinnati, OH. 45246

Site 2:

A-T Controls, Inc.
12840 Sugar Ridge Blvd.
Stafford, TX. 77477

THIS IS PART OF CRN

0C24265.5

Technical Standards and Safety Authority

Boilers and Pressure Vessels Safety
Program

P. Vezey
Quality Manager
A-T Controls, Inc.



Manual and Automated Quarter Turn Valves
Complete Valve and Damper Automation



Montréal, 26 janvier 2023.

MONSIEUR RUDY OWUSU
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ONTARIO
CANADA M9W 6N9

Fabricant : A-T CONTROLS INC
9955 INTERNATIONAL BLVD
CINCINNATI OH
USA 45246

Numéro de dossier : 946743

Numéro(s) de dessin(s) : AS PER SCOPE OF REGISTRATION L2/L2C
[12 aug 2022]

Objet : Enregistrement des plans et devis – Confirmation de l'enregistrement

Bonjour,

Nous vous informons que votre demande d'enregistrement de plans et devis a été traitée et que cette conception a été enregistrée sous le numéro d'enregistrement canadien (NEC\CRN) suivant : **0C24265.56**.

Nous portons votre attention sur certaines exigences réglementaires concernant les installations sous pression, ainsi que des codes et normes qui y sont associés :

- Le fabricant doit maintenir un programme de contrôle de la qualité valide pour fabriquer un équipement selon ce NEC;
- Ce numéro d'enregistrement demeure valide tant et aussi longtemps que les paramètres de conception demeurent inchangés. Dans le cas d'accessoires, l'enregistrement est valide pour une durée de 10 ans à partir de la date d'enregistrement. Les documents de conception doivent alors être resoumis pour validation;
- Le fabricant doit nous transmettre une copie de la *Déclaration de conformité du constructeur (Manufacturer's Data Report)* pour chaque appareil ou chaudière fabriqué selon ce NEC dans les 30 jours suivant la signature de cette déclaration;
- Le numéro de dessin enregistré et le numéro de révision doivent être indiqués sur la déclaration de conformité pour les équipements fabriqués selon ce NEC.

Le présent avis d'approbation ne dégage pas le fabricant de ses responsabilités quant à la conception ou à la construction des équipements ou d'accessoires fabriqués selon un NEC.

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage

Montréal (Québec) H2M 2V2

Téléphone : 514 873-6459

Sans frais : 1 866 262-2084

www.rbq.gouv.qc.ca

Montréal, le 26 janvier 2023.

MR. RUDY OWUSU
TECHNICAL STANDARDS & SAFETY AUTHORITY
345 CARLINGVIEW DRIVE
TORONTO ONTARIO
CANADA M9W 6N9

Manufacturer : A-T CONTROLS INC
9955 INTERNATIONAL BLVD
CINCINNATI OH
USA 45246

OUR REFERENCE : 946743
Design number : AS PER SCOPE OF REGISTRATION L2/L2C
[12 aug 2022]

Subject: Design registration confirmation

Hi,

We wish to inform you that your design registration application has been evaluated and that it was registered under the following Canadian Registration Number (CRN): **0C24265.56.**

The following is a reminder of your obligations regarding certain requirements of the regulation respecting pressure vessels, and the referenced codes and standards:

- The manufacturer must maintain a valid quality control program to manufacture equipment according to the CRN.
- The CRN remains valid as long as there are no changes to the design calculations that might affect the pressure boundary. The design registration of fittings expires 10 years after acceptance. It must, therefore, be resubmitted for validation.
- The manufacturer shall submit a copy of the *Manufacturer's Data Report* to us for each equipment manufactured according to this CRN within 30 days following the signing of this report.
- The drawing number and the revision number registered under this CRN must be indicated on the *Manufacturer's Data Report* for equipment manufactured according to the CRN.

This notice of approval does not relieve the manufacturer of their responsibilities with respect to the design or fabrication of equipment manufactured according to this CRN.

Yours sincerely,

Bureau d'expertise et d'homologation en équipements sous pression

Montréal

545, boul. Crémazie Est, 7ième étage
Montréal (Québec) H2M 2V2
Téléphone : 514 873-6459
Sans frais : 1 866 262-2084
www.rbq.gouv.qc.ca

Request for a Canadian Registration Number (CRN) in Multiple Jurisdictions

Boilers, Pressure Vessels or Fittings to be Registered in Multiple Provincial or Territorial Jurisdictions in Canada

Note: To register a design in a single jurisdiction, for example site specific installations, please contact the required jurisdiction directly.

Date of Application: 06-Dec-2022	For Office Use Only	
	Received by: TSSA	Date received: _____
	Surveyor: ZIVKO.G	File No.: 8183039

Please indicate the type of design

☐ New☐ Addition/ Revision☐ Renewal (Only Fitting Registrations)

Application to amend, revise or renew an existing CRN:

1. To retain an existing registration number, please initiate the registration process with the original registering jurisdiction, if not, a new registration number may be issued.

2. Please include with the amended documents, all remaining original relevant documents, clearly distinguishing between the changes and the original documentation.

This will ensure the complete registration record is considered.

☐ Boiler☐ Pressure Vessel☐ Heat Exchanger☒ Fitting

Existing CRN **0C24265.5**

Registration is requested for:

☒ All Jurisdictions (all of Canada)

or select the individual provinces and territories you require:

☒ British Columbia (BC)☒ Manitoba (MB)☒ New Brunswick (NB)*☒ Newfoundland and
Labrador (NL)*☒ Northwest Territories
(NT)*☒ Alberta (AB)☒ Ontario (ON)☒ Nova Scotia (NS)*☒ Saskatchewan (SK)☒ Quebec (QC)☒ Prince Edward Island (PE)*☒ Yukon (YT)*☒ Nunavut (NU)*

*ACI Central (www.acicrn.com) facilitates registrations for PE, NS, NB, NL, NT, YT and NU.

If you do not wish to have your CRN information on the ACI Central website, please indicate by checking the box ☐

Design information:

Submitter's Work Order No. / Job No.: 0C24265.5-8183039

Drawing/Catalog No.: L2/L2C Series PFA Ball Valves Class 150 per Scope of Registration. The valves shall 

Calculations (Document No., Rev.No.):

Section A: Submitter's full legal company name and address:

Documents when registered will be sent to the submitter.

Company Name: TECHNICAL STANDARDS & SAFETY AUTHORITY

Address: 345 CARLINGVIEW DRIVE

City/Town: TORONTO

Contact name: RUDY OWUSU

Prov./State: ONT

E-mail: ROWUSU@TSSA.ORG

Postal/Zip Code: M9W 6N9

Country: CA

Telephone: 416-734-3299

Section B: Registered to (manufacturer's) full legal company name and address:

Same as A: ☐ or C: ☐

(Registrant assumes full legal responsibility)

Company Name: A-T CONTROLS INC

Address: 9955 INTERNATIONAL BLVD

City/Town: CINCINNATI

Contact Name: PETE VEZEY

Prov./State: OH

E-mail: PVEZEY@ATCONTROLS.COM

Postal code: 45246

Country: UNITED STATES Telephone: 513-247-5465

Section C: Billing client:

Same as A: ☒ or B: ☐

Company Name: TECHNICAL STANDARDS & SAFETY AUTHORITY

Address:

City/Town:

Contact Name:

Prov./State:

E-mail:

Postal code:

Country:

Telephone:

P.O. No.or Billing Ref.: 0C24265.5-8183039

Request for a (CRN) in Multiple Jurisdictions

Design Information and Technical Requirements Required documentation:

- ☒ Original signed statutory declaration form(s) (Required for fitting registration only.)
- ☒ Scope of registration: a list of products, sizes and any other variables to be registered. (Required for fitting registrations only.)
- ☒ Copy of valid quality program certificate(s).
- ☒ List of plant sites if more than one or different from Section B, page 1.
- ☐ If amending, revising or renewing an existing CRN, please include with the amended documents, all remaining original relevant documents, clearly distinguishing between the changes and the original documentation.
- ☒ Drawings/fitting catalogue(s), technical specifications and calculations or proof test reports

Please follow the applicable jurisdiction requirements as noted in [Annex A](#)

BC Registration: Please follow the requirements and complete the forms as applicable in [Annex B](#)

In compliance with: (check one or both as applicable) ☐ CSA B51 ☐ CSA B52

Please select code/standard of design: (check one or more as applicable)

- | | | |
|---|---|-------------------------------------|
| <input type="checkbox"/> ASME Section I | <input checked="" type="checkbox"/> ASME Section VIII, Division 1 | <input type="checkbox"/> ASME B31.1 |
| <input type="checkbox"/> ASME Section IV | <input type="checkbox"/> ASME Section VIII, Division 2 | <input type="checkbox"/> ASME B31.3 |
| <input type="checkbox"/> ASME PVHO-1 | <input type="checkbox"/> ASME Section VIII, Division 3 | <input type="checkbox"/> ASME B31.5 |
| <input type="checkbox"/> Other (specify): _____ | | |

Year of code edition: _____ 2020

Pressure Vessel:

Volume: _____

Heat Exchanger:

Surface area: _____

Boiler:

Wetted heating surface: _____

Overall length: _____

Maximum output: _____

Minimum safety relief valve capacity: _____

Fittings: please select design category (check one)

- | | |
|--|---|
| <input type="checkbox"/> A – Pipe fittings | <input type="checkbox"/> E – Strainers/ Filters /Separators / Steam traps |
| <input type="checkbox"/> B – Flanges | <input type="checkbox"/> F – Measuring Devices |
| <input checked="" type="checkbox"/> C – Valves - all line valves | <input type="checkbox"/> G – Certified Pressure Relief Devices |
| <input type="checkbox"/> D – Expansion Joints / Flexible Connections / Hose Assemblies | <input type="checkbox"/> H – Other |

Registration may not be required as follows, refer to details in [Annex A](#)

BC, SK, MB and QC: standard fittings for categories A, B, and C

BC, SK and MB: standard fittings for category G



SCOPE OF REGISTRATION

(dimensions in inches)

Series	Sizes
L2/L2C Series PFA Lined Ball Valves	1/2"; 3/4"; 1"; 1-1/2"; 2"; 2-1/2"; 3"; 4"; 6"; 8"

P. Vezey

Quality Manager

A-T Controls, Inc.

Date: 12 August 2022



A-T Controls, Inc.

9955 International Blvd. • Cincinnati, Ohio 45246
Phone: 513.247.5465 Fax: 513.247.5462
www.atcontrols.com

05 August 2022

LIST OF PLANT SITES

Site 1:

A-T Controls, Inc.
9955 International Blvd.
Cincinnati, OH. 45246

Site 2:

A-T Controls, Inc.
12840 Sugar Ridge Blvd.
Stafford, TX. 77477



P. Vezey
Quality Manager
A-T Controls, Inc.



Manual and Automated Quarter Turn Valves
Complete Valve and Damper Automation



Statutory Declaration Registration of Fittings

(a) Design Qualification

I¹ Steve Wells
Chief Financial Officer
(Position eg. president, plant manager, chief eng.)

Of A-T Controls, Inc.
(name of company)

Located at 9955 International Blvd; Cincinnati, OH. 45246
(plant address)

do solemnly declare that the fittings listed hereunder, which are subject to the Boilers & Pressure Vessels Act:

☒ comply with all the requirements of the ANSI/ASME codes as to their dimensions, material, identification & service for which are required:

Or

☐ are not covered by the provisions of the ANSI/ASME codes, and are therefore constructed to comply with _____ code and standard, and are designed to the best current engineering practice, as shown by the supporting test data.

(b) Quality control of Manufacture

I further declare the manufacture of these fittings is controlled by a quality control program which complies with the requirements of ISO 9001-2015, and has been verified by the following authority or authorized agency AVU Registrations

The fittings² covered by this declaration, for which I seek registration, are under A-T Controls, Inc; 9955 International Blvd; Cincinnati, OH. 45246

In support of the application, the following information, calculations and/or test data are attached:
Drawings: P04355 Rev 0; P04356 Rev 0; P04360 Rev 0. Calculations: TR00469 Rev 0 (7/26/2022)

Declared before me at Butler County

In the of State of Ohio

The 8th Day of August AD 19 2022


A (commissioner for oaths)



BENJAMIN MATHEW SMITH
Notary Public, State of Ohio
My Commission Expires
August 31, 2026

COMMISSION: 2021-RE-830646

For Official Use Only

The application is accepted for registration in Category _____ in accordance with the Boilers and Pressure Vessels Act and CSA Standard B51.

This registration must be revalidated after ten (10) years from the date of acceptance.

Registered Number CRN _____ For the Chief Inspector

Date _____



- 1 Three completed copied of Statutory Declaration form together with three copies of Catalogs, drawings and data above fittings shall be submitted.
- 2 All fittings are required to be registered in the name of the Manufacturer.
- 3 This form shall be completed and signed by the president or highest official in the manufacturing plant where the fitting is produced.

January 6, 2023

TSSA
345 Carlingview Drive
Toronto, ON M9W 6N9

Dear Rudy Owusu,

Re: Reciprocal CRN Registration in Manitoba

As indicated by the Regulatory Reconciliation and Cooperation Table and the Reconciliation Agreement for the Canadian Registration Number (CRN) for Pressure Equipment, the design reviews conducted and accepted by the Canadian province or territory, or their delegated safety authority, will be mutually recognized in the Province of Manitoba. If a registration is conditionally based on compliance with the notes set by the original issuing Jurisdiction, such compliance shall be applied the same to this Province.

Your submission has been registered, as follows:

File Number:	74-R2873
CRN:	0C24265.54
Scope:	L2/L2C Series PFA Ball Valves Class 150 per Scope of Registration
Manufacturer:	A-T CONTROLS INC
Expiry Date:	1 November 2032

Along with this letter is the invoice for registration.

In addition, every vessel shall be stamp of the registration number and as required by CSA Code B51, a Manufacturer's Data Report (MDR) must be forwarded to this office immediately at the time a unit is shipped to Manitoba. Send your MDR to gasupport@gov.mb.ca. In your subject line, indicate "*Manufacturer's Data Report-CRN No.*" A fee shall be billed to the Manufacturer to process data reports in accordance with the Steam and Pressure Plants Regulation section 17.1.

Please contact gasupport@gov.mb.ca for any questions or concerns.

Inspection and Technical Services

Labour, Consumer Protection and Government Services
508 – 401 York Avenue, Winnipeg, MB R3C 0P8
T (204) 945-3373 | F (204) 948-2089


Newfoundland and Labrador

This space for Regulatory Authority use. **STATE OF OHIO**
 This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0C24265.5
 FID#: 15253
 Notes:

1. All Fittings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

Note: Cl.150 rating. CRN expires Nov.1st, 2032 (DGallant)
 11/2015

ACCEPTED
PROVINCE OF PRINCE EDWARD ISLAND
COMMUNITIES, LAND & ENVIRONMENT
 C.R.N. 0C24265.59
 DATE: FEB 10/23

INSPECTION SERVICES SECTION
BOILER/PRESSURE VESSEL BRANCH

Sept. 1.0 Fittings Rev.2

Newfoundland and Labrador

This space for Regulatory Authority use

CRN: 0C24265.5

FID#: 15253

Notes:

1. All Filings shall be registered in the name of the Manufacturer.
2. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality Control programs shall be resubmitted for validation.

Note: CI.150 rating. CRN expires Nov. 1st, 2032 (DGallant)
11/2018

DATE OF OWNERSHIP

BOILER PRESSURE VESSEL
NOVA SCOTIA

Date: 14 Feb 2023

C.R.N. 0C24265.58

Dwg. As described

Signed [Signature]
See also Filings Rev.2

1 of 1